


Fall asleep  
at home,  
wake up in  
seventh heaven.

hülsta-sleeping systems.  
Base frames, mattresses, pillow and more



Fall asleep  
at home,  
wake up in  
seventh heaven.

hülsta-sleeping systems.  
Base frames, mattresses, pillow and more



## Base frames

Page 3-12

## Mattresses

Page 13-18

## Pillow/accessories

Page 19

## Base frame-mattress combinations

Page 20

**GB** 8/11

[www.huelsta.com](http://www.huelsta.com)

**hülsta** 

hülsta's **SLEEPING SYSTEMS** with their quality products provide the perfect prerequisites for relaxing sleep. Base frames and mattresses from hülsta match perfectly to form a unit. They are available with a variety of features and enable combinations that adapt ideally to meet your own individual preferences, e.g. for a "firmer" or "softer" resting surface.

**Guarantee:** 12 years' hülsta guarantee on all base frames; 3 years' guarantee on motors; electrical components, gas pressure spring; 5 years' guarantee on mattress core. Please also note here the guarantee passport accompanying the product.

**General note:** Proven scientific research done by the authorized norm-testing institutes is available to prove the maximum loads that individual base frames and mattresses can be subjected to, up to a max. 140 kg. For loads above this level no guarantees can be given and any such warranties must be agreed on with hülsta beforehand.

Sizes for base frames and mattresses acc. to DIN-EN 1334.

## Contents

	<b>Page</b>
<b>Bed frame</b>	
EASY FLEX	3
<b>Base frames</b>	
ALL FLEX	4-5
<b>NEW</b> CREA FLEX	6-8
<b>NEW</b> LEVEL FLEX II	9-11
TOP MOVE 100 (Motor-driven base frame)	12
<b>Mattresses</b>	
TOP POINT 1000 (Cylinder pocket spring-core mattress)	13
TOP POINT 4000 (Cylinder pocket spring-core mattress)	14
AIR DREAM 2000 (HR cold foam mattress)	15
<b>NEW</b> AIR DREAM 3000 THERMO (HR cold foam mattress)	16
<b>NEW</b> AIR DREAM 4000 (HR cold foam mattress)	17
Topper (HR cold foam)	18
<b>Base frame-mattress combinations</b>	
<b>NEW</b> Special offer sets	20
<b>Accessories</b>	
Pillow AIR DREAM K 2000 (Cold foam pillow)	19
Hand switch-magnetic holder	19
Infra-red hand transmitter as accessory	19
<b>Notes</b>	
Double mattresses (e.g. 2x2 m)	21
Definition of unit heights	21
Notes on fitting base frames	21
Definition of "mattress firmness"	21
Pictograms	21
hülsta Safety Guarantee	21
<b>NEW</b> Table: Body mass index (BMI)	22
Check list for buying	23



# EASY FLEX

Metal base on adjustable legs (especially suitable for all hülsta base frames)



- Width and height adjustable bed frame for all base frames from the hülsta sleeping system
- Height adjustable to any setting (from 23.0 to max. 28.0 cm)
- Width adjustable to any setting (up to 200 cm)
- Version: black powder-coated


- **Accessories:**
  - Wooden leg of solid beech (for covering the metal leg)
  - Mattress support, white powder-coated (for holding the mattress above)

Note: Not possible with motor-driven frames, except TOP MOVE 100

## Width and height adjustable bed frame

Metal base: 23.0 cm high up to max. 28.0 cm

Set of 3



Sizes	Order no.
adjustable in width from ... to ...	
for single beds 0 - 100 cm	<b>4791005</b> -
100 - 150 cm	<b>4791006</b> -
adjustable in width from ... to ...	
for double beds 120 - 200 cm	<b>4791007</b> -

**Wooden leg, solid beech**  
aluminium-coloured base disc  
(for covering the metal leg)  
only available in set of 2



20.0 cm high  
Ø 7 cm

Price for set of 2

**4791000** -

**Mattress support,**  
white powder-coated,  
for fitting on transverse bar of  
base frame



13.0 cm high  
30.0 cm wide

**4791001** -



12 years' manufacturer's guarantee from hülsta

## ALL FLEX

Good elasticity – individually adjustable



### ALL FLEX the test winner 1999

in the last comparative WARENTTEST test of "16 wooden base frames", test magazine 2/1999. More facts about the Warentest Institute:

- The hülsta brand product has the best price/performance ratio
- "Our advice": The ALL FLEX has made the best impression of all the wooden base frames.

- Stable high-edged frame with back and foot section integrated (in adjustable versions) of multi-glued beech plywood, rounded edges, all-round furniture quality surface
- With the best base frame slats in the world, the slim hülsta base slat (green layer = reinforcement layer), 38 mm wide, 8/12 mm thick, 7/9x (up to 100 cm/from 120 cm) moisture-proof glued, in long-term elastic pocket end bearings
- Firmness adjustment in centre zone with adjuster slide (for firmness adjustment from soft to firm)
- Non-tear centre belt disperses weight load – the base slats can also be placed under the centre belt, to be able to sink in further

Manual back and foot section adjustment:

- High-quality, robust metal brackets, galvanized with additional surface seal coating, ensures easy long-term adjustability
- Low-noise back section adjustment to 17 settings from 9° to a comfortable sitting position of 50° and foot section adjustment to 17 settings up to an angle of 14°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!
- GS-sign (tested safety) for base frame
- ALL FLEX with LIFT function see next page

If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**A** fixed, non-adjustable  
(flat-edged frame, please note the information on page 21)



Total height: 5.5 cm

**B** Back section adjustable manually to 17 settings and foot section to 17



Back section length: 76.0 cm  
Total height: 6.3 cm

Bed interior dims.	Base frame dims.	Order no.		Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	4828680	} -	*70 x 190	69 x 186	4828780	} -
80 x 190	79 x 186	482868		80 x 190	79 x 186	482878	
90 x 190	89 x 186	482867		90 x 190	89 x 186	482877	
100 x 190	99 x 186	482866		100 x 190	99 x 186	482876	
120 x 190	119 x 186	4828600		120 x 190	119 x 186	4828700	
140 x 190	139 x 186	4828690	} -	140 x 190	139 x 186	4828790	} -
*70 x 200	69 x 196	4828630	} -	*70 x 200	69 x 196	4828730	} -
80 x 200	79 x 196	482863		80 x 200	79 x 196	482873	
90 x 200	89 x 196	482862		90 x 200	89 x 196	482872	
100 x 200	99 x 196	482861		100 x 200	99 x 196	482871	
120 x 200	119 x 196	4828650		120 x 200	119 x 196	4828750	
140 x 200	139 x 196	4828640	} -	140 x 200	139 x 196	4828740	} -
*70 x 210	69 x 206	48286330	} -	*70 x 210	69 x 206	48287330	} -
80 x 210	79 x 206	4828633		80 x 210	79 x 206	4828733	
90 x 210	89 x 206	4828623		90 x 210	89 x 206	4828723	
100 x 210	99 x 206	4828613		100 x 210	99 x 206	4828713	
120 x 210	119 x 206	48286530		120 x 210	119 x 206	48287530	
140 x 210	139 x 206	48286430	} -	140 x 210	139 x 206	48287430	} -
*70 x 220	69 x 216	48286340	} -	*70 x 220	69 x 216	48287340	} -
80 x 220	79 x 216	4828634		80 x 220	79 x 216	4828734	
90 x 220	89 x 216	4828624		90 x 220	89 x 216	4828724	
100 x 220	99 x 216	4828614		100 x 220	99 x 216	4828714	
120 x 220	119 x 216	48286540		120 x 220	119 x 216	48287540	
140 x 220	139 x 216	48286440	} -	140 x 220	139 x 216	48287440	} -

**ALL FLEX**

12 years' manufacturer's guarantee from hülsta

Good elasticity – individually adjustable



**Base frame with LIFT function in foot section**


Base frame with manually adjustable back and foot section with extra comfort features: foot section with LIFT function (can be fully raised by gas pressure spring). Raising the foot section allows easy access to the area below the bed (e.g. to the linen box). Cleaning under the bed is no longer a problem either: the base frame and the mattress no longer need to be removed from the bed, nor is it necessary to do any more cleaning from the side.

- General product description on ALL FLEX see previous page
- Gas spring support and brake setting in high position
- Wide opening angle: 50°
- Extra sturdy version with transverse strut in gas pressure assembly point
- 3 raised settings in the foot section up to approx. 5°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!

If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**D** Back and foot section adjustable. Foot section with LIFT function (raised by gas pressure spring)



Back section length: 76.0 cm  
Total height: 6.3 cm

Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	<b>4828580</b>	} -
80 x 190	79 x 186	<b>482858</b>	
90 x 190	89 x 186	<b>482857</b>	
100 x 190	99 x 186	<b>482856</b>	
120 x 190	119 x 186	<b>4828500</b>	
140 x 190	139 x 186	<b>4828590</b>	
*70 x 200	69 x 196	<b>4828530</b>	} -
80 x 200	79 x 196	<b>482853</b>	
90 x 200	89 x 196	<b>482852</b>	
100 x 200	99 x 196	<b>482851</b>	
120 x 200	119 x 196	<b>4828550</b>	
140 x 200	139 x 196	<b>4828540</b>	
*70 x 210	69 x 206	<b>48285330</b>	} -
80 x 210	79 x 206	<b>4828533</b>	
90 x 210	89 x 206	<b>4828523</b>	
100 x 210	99 x 206	<b>4828513</b>	
120 x 210	119 x 206	<b>48285530</b>	
140 x 210	139 x 206	<b>48285430</b>	
*70 x 220	69 x 216	<b>48285340</b>	} -
80 x 220	79 x 216	<b>4828534</b>	
90 x 220	89 x 216	<b>4828524</b>	
100 x 220	99 x 216	<b>4828514</b>	
120 x 220	119 x 216	<b>48285540</b>	
140 x 220	139 x 216	<b>48285440</b>	



12 years' manufacturer's guarantee from hülsta

## CREA FLEX

**NEW**

Duo slats – firmness individually adjustable



- Stable high-edged frame with back and foot section integrated (in adjustable versions) of multi-glued beech Multiplex plywood, rounded edges, all-round furniture quality surface
- With the best base frame slats in the world, the slim hülsta base slat (green layer = reinforcement layer), 38 mm wide, 8/12 mm thick, 7/9x (up to 100 cm/ from 120 cm) moisture-proof glued, in long-term elastic Duo pocket end bearings
- Firmness adjustment in entire upper body zone with adjuster slide with anti-slip device (for firmness adjustment from soft to hard)
- High-grade, robust metal brackets, galvanized with additional surface seal coating, ensure easy long-term adjustability
- Exclusive, stable, low-noise twin back section scissor brackets (“Y-scissors”):
  - fine adjustments for sleep: 4 settings from 0° to 9°
  - angle for relaxing and sitting: 17 settings from 9° to 50°
- Stable, foot section scissor brackets (“Y-scissors”), low-noise, 17 settings to 14°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!
- GS-sign (tested safety) for base frame
- CREA FLEX with LIFT function or with motor drive see next pages

If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**A** fixed, non-adjustable  
(flat-edged frame, please note the information on page 21)



Total height: 6.5 cm

**B** Back section adjustable manually to 21 settings and foot section to 17



Back section length: 76.0 cm  
Total height: 9.0 cm

Bed interior dims.	Base frame dims.	Order no.		Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	4641110	} -	*70 x 190	69 x 186	4642110	} -
80 x 190	79 x 186	4641111		80 x 190	79 x 186	4642111	
90 x 190	89 x 186	4641112		90 x 190	89 x 186	4642112	
100 x 190	99 x 186	4641113		100 x 190	99 x 186	4642113	
120 x 190	119 x 186	4641114		120 x 190	119 x 186	4642114	
140 x 190	139 x 186	4641115	} -	140 x 190	139 x 186	4642115	} -
*70 x 200	69 x 196	4641210	} -	*70 x 200	69 x 196	4642210	} -
80 x 200	79 x 196	4641211		80 x 200	79 x 196	4642211	
90 x 200	89 x 196	4641212		90 x 200	89 x 196	4642212	
100 x 200	99 x 196	4641213		100 x 200	99 x 196	4642213	
120 x 200	119 x 196	4641214		120 x 200	119 x 196	4642214	
140 x 200	139 x 196	4641215	} -	140 x 200	139 x 196	4642215	} -
*70 x 210	69 x 206	4641310	} -	*70 x 210	69 x 206	4642310	} -
80 x 210	79 x 206	4641311		80 x 210	79 x 206	4642311	
90 x 210	89 x 206	4641312		90 x 210	89 x 206	4642312	
100 x 210	99 x 206	4641313		100 x 210	99 x 206	4642313	
120 x 210	119 x 206	4641314		120 x 210	119 x 206	4642314	
140 x 210	139 x 206	4641315	} -	140 x 210	139 x 206	4642315	} -
*70 x 220	69 x 216	4641410	} -	*70 x 220	69 x 216	4642410	} -
80 x 220	79 x 216	4641411		80 x 220	79 x 216	4642411	
90 x 220	89 x 216	4641412		90 x 220	89 x 216	4642412	
100 x 220	99 x 216	4641413		100 x 220	99 x 216	4642413	
120 x 220	119 x 216	4641414		120 x 220	119 x 216	4642414	
140 x 220	139 x 216	4641415	} -	140 x 220	139 x 216	4642415	} -

### Surcharge for CREA FLEX base frame for compact bed with incorporated linen box

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the CREA FLEX can also be used in versions C, D, E and F.

The following surcharges apply:

**Version - C -**

for single bed: -

for double bed: -

**Version - D -**

for single bed: -

for double bed: -

**Version - E -**

for single bed: -

for double bed: -

**Version - F -**

for single bed: -


for double bed: -

**CREA FLEX**



Duo slats – firmness individually adjustable


12 years' manufacturer's guarantee from hülsta



**Base frame with LIFT function in foot section**

Base frame with manually adjustable back and foot section with extra comfort features: foot section with LIFT function (can be fully raised by gas pressure spring). Raising the foot section allows easy access to the area below the bed (e.g. to the linen box). Cleaning under the bed is no longer a problem either: the base frame and the mattress no longer need to be removed from the bed, nor is it necessary to do any more cleaning from the side.

- General product description on CREA FLEX see previous page
- Gas spring support and brake setting in high position
- Wide opening angle: 50°
- Extra sturdy version with transverse strut in gas pressure assembly point
- 3 raised settings in the foot section up to approx. 5°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!



If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**Motor-driven adjustment with cable operation (with 2 motors)**

- General product description on CREA FLEX see previous page
- CREA FLEX with 3 motors see next page
- Back and foot section individually adjustable with compact drive (2 e-motors, 24 V low voltage)
- Back section adjustable to any angle from 0 – 55°
- 3-phase foot section adjustment:
  - 1st phase: angular leg setting (heart/circulation relief). Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!
  - 2nd phase: parallel high settings for legs (relief for veins)
  - 3rd phase: "knee-bend" setting (relief for heel, knee joint support, relaxing position)
- All settings can be set to any level required, no prescribed intervals.
- Low-voltage technology throughout: the high-performance e-motors operate on safe low voltage current (24 V) and are maintenance free
- Emergency mains switch-off feature, i.e. current only flows when adjustments are being made; compatible with primary house safety fuse systems
- Emergency lowering possible during power cuts
- For storing the hand switch there is a hook included that can be fitted into the bed side frame (up to 4 cm thick). If the bed side is more than 4 cm thick, please order a magnetic holder (type 955, see page 19).
- The CREA FLEX base frame with motor-driven adjustments requires the use of flexible mattresses. We recommend the AIR DREAM and TOP POINT mattresses (see pages 13-17).
- With cable operation (cable hand switch with individual and linked switching feature)
- 3 years' guarantee on motors
- CE tested
- GS-sign for tested safety
- **With optional extra infra-red remote control switch (see page 19)** (for 2 motors type 957 -)

**C** Back and foot section adjustable. Foot section with LIFT function (raised by gas pressure spring)

Back section length: 76.0 cm  
Total height: 9.0 cm

**D** Back and foot section adjustable individually by compact drive (2 e-motors); with cable operation

Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	<b>4646110</b>	} -
80 x 190	79 x 186	<b>464611</b>	
90 x 190	89 x 186	<b>464612</b>	
100 x 190	99 x 186	<b>464613</b>	
120 x 190	119 x 186	<b>464614</b>	
140 x 190	139 x 186	<b>464615</b>	} -
*70 x 200	69 x 196	<b>4646210</b>	} -
80 x 200	79 x 196	<b>464621</b>	
90 x 200	89 x 196	<b>464622</b>	
100 x 200	99 x 196	<b>464623</b>	
120 x 200	119 x 196	<b>464624</b>	
140 x 200	139 x 196	<b>464625</b>	} -
*70 x 210	69 x 206	<b>4646310</b>	} -
80 x 210	79 x 206	<b>464631</b>	
90 x 210	89 x 206	<b>464632</b>	
100 x 210	99 x 206	<b>464633</b>	
120 x 210	119 x 206	<b>464634</b>	
140 x 210	139 x 206	<b>464635</b>	} -
*70 x 220	69 x 216	<b>4646410</b>	} -
80 x 220	79 x 216	<b>464641</b>	
90 x 220	89 x 216	<b>464642</b>	
100 x 220	99 x 216	<b>464643</b>	
120 x 220	119 x 216	<b>464644</b>	
140 x 220	139 x 216	<b>464645</b>	} -

Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	<b>4643110</b>	} -
80 x 190	79 x 186	<b>464311</b>	
90 x 190	89 x 186	<b>464312</b>	
100 x 190	99 x 186	<b>464313</b>	
120 x 190	119 x 186	<b>464314</b>	
140 x 190	139 x 186	<b>464315</b>	} -
*70 x 200	69 x 196	<b>4643210</b>	} -
80 x 200	79 x 196	<b>464321</b>	
90 x 200	89 x 196	<b>464322</b>	
100 x 200	99 x 196	<b>464323</b>	
120 x 200	119 x 196	<b>464324</b>	
140 x 200	139 x 196	<b>464325</b>	} -
*70 x 210	69 x 206	<b>4643310</b>	} -
80 x 210	79 x 206	<b>464331</b>	
90 x 210	89 x 206	<b>464332</b>	
100 x 210	99 x 206	<b>464333</b>	
120 x 210	119 x 206	<b>464334</b>	
140 x 210	139 x 206	<b>464335</b>	} -
*70 x 220	69 x 216	<b>4643410</b>	} -
80 x 220	79 x 216	<b>464341</b>	
90 x 220	89 x 216	<b>464342</b>	
100 x 220	99 x 216	<b>464343</b>	
120 x 220	119 x 216	<b>464344</b>	
140 x 220	139 x 216	<b>464345</b>	} -

**Surcharge for CREA FLEX base frame for compact bed with incorporated linen box**  
 Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the CREA FLEX can also be used in versions C, D, E and F.  
 The following surcharges apply:

<b>Version - C -</b>	<b>Version - D -</b>	<b>Version - E -</b>	<b>Version - F -</b>
for single bed: -	for single bed: -	for single bed: -	for single bed: -
for double bed: -	for double bed: -	for double bed: -	for double bed: -



## CREA FLEX with 3 motors

**NEW**


12 years' manufacturer's guarantee from hülsta

Duo slats – firmness individually adjustable

### Motor-driven adjustment with cable operation or infra-red memory-based remote control

- General product description on CREA FLEX and CREA FLEX with LIFT function or with 2 motors see previous pages
- Back and foot section individually adjustable with compact drive (2 e-motors, 24 V low voltage); neck support adjustable with extra motor
- Back section adjustable to any angle from 0 – 55°
- Neck support section adjustable to any angle to approx. 30°
- 3-phase foot section adjustment:  
1st phase: angular leg setting (heart/circulation relief). Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!  
2nd phase: parallel high settings for legs (relief for veins)  
3rd phase: "knee-bend" setting (relief for heel, knee joint support, relaxing position)  
All settings can be set to any level required, no prescribed intervals.
- Low-voltage technology throughout: the high-performance e-motors operate on safe low voltage current (24 V) and are maintenance free
- Emergency mains switch-off feature, i.e. current only flows when adjustments are being made; compatible with primary house safety fuse systems
- Emergency lowering possible during power cuts

- For storing the hand switch (CREA FLEX E) there is a hook included that can be fitted into the bed side frame (up to 4 cm thick). If the bed side is more than 4 cm thick, please order a magnetic holder (type 955, see page 19).
- The CREA FLEX base frame with motor-driven adjustments requires the use of flexible mattresses. We recommend the AIR DREAM and TOP POINT mattresses (see pages 13-17).
- With **cable operation** (cable hand switch with individual and linked switching feature) or **infra-red memory control** with IR-memory receiver and transmitter, 3 memory functions
- 3 years' guarantee on motor systems, 12 years' guarantee on other components
- CE tested
- GS-sign for tested safety



If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

### Cable operation

- Cable hand switch with individual and linked switching feature

### Infra-red memory-based remote control:

- **Memory function:** 3 individual lying and sitting positions can be saved and recalled accordingly
- 8000 different transmission frequencies
- Infra-red remote control normally allows transmission from any angle in the room

**E** Back and foot section adjustable individually by compact drive (2 e-motors); neck support also adjustable with extra integrated motor, **with cable operation**



Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

**F** Back and foot section adjustable individually by compact drive (2 e-motors); neck support also adjustable with extra integrated motor, **with infra-red memory-based remote control**



Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

Bed interior dims.	Base frame dims.	Order no.		Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	4644110	}	*70 x 190	69 x 186	4645110	}
80 x 190	79 x 186	4644111		80 x 190	79 x 186	4645111	
90 x 190	89 x 186	4644112		90 x 190	89 x 186	4645112	
100 x 190	99 x 186	4644113		100 x 190	99 x 186	4645113	
120 x 190	119 x 186	4644114		120 x 190	119 x 186	4645114	
140 x 190	139 x 186	4644115	}	140 x 190	139 x 186	4645115	}
*70 x 200	69 x 196	4644210	}	*70 x 200	69 x 196	4645210	}
80 x 200	79 x 196	4644211		80 x 200	79 x 196	4645211	
90 x 200	89 x 196	4644212		90 x 200	89 x 196	4645212	
100 x 200	99 x 196	4644213		100 x 200	99 x 196	4645213	
120 x 200	119 x 196	4644214		120 x 200	119 x 196	4645214	
140 x 200	139 x 196	4644215	}	140 x 200	139 x 196	4645215	}
*70 x 210	69 x 206	4644310	}	*70 x 210	69 x 206	4645310	}
80 x 210	79 x 206	4644311		80 x 210	79 x 206	4645311	
90 x 210	89 x 206	4644312		90 x 210	89 x 206	4645312	
100 x 210	99 x 206	4644313		100 x 210	99 x 206	4645313	
120 x 210	119 x 206	4644314		120 x 210	119 x 206	4645314	
140 x 210	139 x 206	4644315	}	140 x 210	139 x 206	4645315	}
*70 x 220	69 x 216	4644410	}	*70 x 220	69 x 216	4645410	}
80 x 220	79 x 216	4644411		80 x 220	79 x 216	4645411	
90 x 220	89 x 216	4644412		90 x 220	89 x 216	4645412	
100 x 220	99 x 216	4644413		100 x 220	99 x 216	4645413	
120 x 220	119 x 216	4644414		120 x 220	119 x 216	4645414	
140 x 220	139 x 216	4644415	}	140 x 220	139 x 216	4645415	}

### Surcharge for CREA FLEX base frame for compact bed with incorporated linen box

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the CREA FLEX can also be used in versions C, D, E and F.

The following surcharges apply:

**Version - C -**

for single bed: -

for double bed: -

**Version - D -**

for single bed: -

for double bed: -

**Version - E -**

for single bed: -

for double bed: -

**Version - F -**

for single bed: -

for double bed: -





**LEVEL FLEX II**

**NEW**

12 years' manufacturer's guarantee from hülsta

Extremely flexible – with wide range of settings



- Stable high-edged frame with back and foot section integrated (in adjustable versions) of multi-glued beech Multiplex plywood, rounded edges, all-round furniture quality surface
- With the best base frame slats in the world, the hülsta base slat (green layer = reinforcement layer), 25 mm wide, 8 mm thick (up to 100 cm wide) or 12 mm thick (from 120 cm wide), beech, 7x (up to 100 cm wide) or 9x (from 120 cm wide) moisture-proof glued, 39 base slats per 200 cm length
- Patented firmness adjustment in entire upper body zone with adjuster slide with anti-slip device
- Euro-patented trio slat bearings with inlay for individual placement of centre, height adjustable base slat – soft/firm and/or 'Soft touch' double effect
- High-quality, robust metal brackets, galvanized with additional surface seal coating, ensures easy long-term adjustability
- Exclusive, stable, low-noise twin back section scissor brackets ("Y-scissors"):
  - fine adjustments for sleep: 4 settings from 0° to 9°
  - angle for relaxing and sitting: 17 settings from 9° to 50°
- Stable, foot section scissor brackets ("Y-scissors"), low-noise, 17 settings to 14°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!
- GS-sign (tested safety) for base frame
- LEVEL FLEX II with LIFT function or with motor drive see next pages

If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**A** fixed, non-adjustable  
(flat-edged frame, please note the information on page 21)



Total height: 6.5 cm

**B** Back section adjustable manually to 21 settings and foot section to 17



Back section length: 76.0 cm  
Total height: 9.0 cm

Bed interior dims.	Base frame dims.	Order no.		Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	4141110	} -	*70 x 190	69 x 186	4142110	} -
80 x 190	79 x 186	4141111		80 x 190	79 x 186	4142111	
90 x 190	89 x 186	4141112		90 x 190	89 x 186	4142112	
100 x 190	99 x 186	4141113		100 x 190	99 x 186	4142113	
120 x 190	119 x 186	4141114		120 x 190	119 x 186	4142114	
140 x 190	139 x 186	4141115	} -	140 x 190	139 x 186	4142115	} -
*70 x 200	69 x 196	4141210	} -	*70 x 200	69 x 196	4142210	} -
80 x 200	79 x 196	4141211		80 x 200	79 x 196	4142211	
90 x 200	89 x 196	4141212		90 x 200	89 x 196	4142212	
100 x 200	99 x 196	4141213		100 x 200	99 x 196	4142213	
120 x 200	119 x 196	4141214		120 x 200	119 x 196	4142214	
140 x 200	139 x 196	4141215	} -	140 x 200	139 x 196	4142215	} -
*70 x 210	69 x 206	4141310	} -	*70 x 210	69 x 206	4142310	} -
80 x 210	79 x 206	4141311		80 x 210	79 x 206	4142311	
90 x 210	89 x 206	4141312		90 x 210	89 x 206	4142312	
100 x 210	99 x 206	4141313		100 x 210	99 x 206	4142313	
120 x 210	119 x 206	4141314		120 x 210	119 x 206	4142314	
140 x 210	139 x 206	4141315	} -	140 x 210	139 x 206	4142315	} -
*70 x 220	69 x 216	4141410	} -	*70 x 220	69 x 216	4142410	} -
80 x 220	79 x 216	4141411		80 x 220	79 x 216	4142411	
90 x 220	89 x 216	4141412		90 x 220	89 x 216	4142412	
100 x 220	99 x 216	4141413		100 x 220	99 x 216	4142413	
120 x 220	119 x 216	4141414		120 x 220	119 x 216	4142414	
140 x 220	139 x 216	4141415	} -	140 x 220	139 x 216	4142415	} -

**Surcharge for LEVEL FLEX II base frame for compact bed with incorporated linen box**

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the LEVEL FLEX II can also be used in versions C, D, E and F.

The following surcharges apply:

**Version - C -**

for single bed: -  
for double bed: -

**Version - D -**

for single bed: -  
for double bed: -

**Version - E -**

for single bed: -  
for double bed: -

**Version - F -**

for single bed: -  
for double bed: -



## LEVEL FLEX II

**NEW**

12 years' manufacturer's guarantee from hülsta

Extremely flexible – with wide range of settings

### Base frame with LIFT function in foot section

Base frame with manually adjustable back and foot section with extra comfort features: foot section with LIFT function (can be fully raised by gas pressure spring). Raising the foot section allows easy access to the area below the bed (e.g. to the linen box). Cleaning under the bed is no longer a problem either: the base frame and the mattress no longer need to be removed from the bed, nor is it necessary to do any more cleaning from the side.

- General product description on LEVEL FLEX II see previous page
- Gas spring support and brake setting in high position
- Wide opening angle: 50°
- Extra sturdy version with transverse strut in gas pressure assembly point
- 3 raised settings in the foot section up to approx. 5°. Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!

### Motor-driven adjustment with cable operation (with 2 motors)

- General product description on LEVEL FLEX II see previous page
- LEVEL FLEX II with 3 motors see next page
- Back and foot section individually adjustable with compact drive (2 e-motors, 24 V low voltage)
- Back section adjustable to any angle from 0 – 55°
- 3-phase foot section adjustment:
  - 1st phase: angular leg setting (heart/circulation relief). Permanent setting of foot section while sleeping: for sleepers with high blood pressure only on doctor's advice!
  - 2nd phase: parallel high settings for legs (relief for veins)
  - 3rd phase: "knee-bend" setting (relief for heel, knee joint support, relaxing position)
- All settings can be set to any level required, no prescribed intervals.
- Low-voltage technology throughout: the high-performance e-motors operate on safe low voltage current (24 V) and are maintenance free
- Emergency mains switch-off feature, i.e. current only flows when adjustments are being made; compatible with primary house safety fuse systems
- Emergency lowering possible during power cuts
- For storing the hand switch there is a hook included that can be fitted into the bed side frame (up to 4 cm thick). If the bed side is more than 4 cm thick, please order a magnetic holder (type 955, see page 19).
- The LEVEL FLEX II base frame with motor-driven adjustments requires the use of flexible mattresses. We recommend the AIR DREAM and TOP POINT mattresses (see pages 13-17).
- With cable operation (cable hand switch with individual and linked switching feature)
- 3 years' guarantee on motors
- CE tested
- GS-sign for tested safety
- **With optional extra infra-red remote control switch (see page 19)**  
(for 2 motors type 957 -)

If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5 -

**C** Back and foot section adjustable. Foot section with LIFT function (raised by gas pressure spring)

Back section length: 76.0 cm  
Total height: 9.0 cm

**D** Back and foot section adjustable individually by compact drive (2 e-motors); with cable operation

Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

Bed interior dims.	Base frame dims.	Order no.
*70 x 190	69 x 186	4146110
80 x 190	79 x 186	4146111
90 x 190	89 x 186	4146112
100 x 190	99 x 186	4146113
120 x 190	119 x 186	4146114
140 x 190	139 x 186	4146115
*70 x 200	69 x 196	4146210
80 x 200	79 x 196	4146211
90 x 200	89 x 196	4146212
100 x 200	99 x 196	4146213
120 x 200	119 x 196	4146214
140 x 200	139 x 196	4146215
*70 x 210	69 x 206	4146310
80 x 210	79 x 206	4146311
90 x 210	89 x 206	4146312
100 x 210	99 x 206	4146313
120 x 210	119 x 206	4146314
140 x 210	139 x 206	4146315
*70 x 220	69 x 216	4146410
80 x 220	79 x 216	4146411
90 x 220	89 x 216	4146412
100 x 220	99 x 216	4146413
120 x 220	119 x 216	4146414
140 x 220	139 x 216	4146415

Bed interior dims.	Base frame dims.	Order no.
*70 x 190	69 x 186	4143110
80 x 190	79 x 186	4143111
90 x 190	89 x 186	4143112
100 x 190	99 x 186	4143113
120 x 190	119 x 186	4143114
140 x 190	139 x 186	4143115
*70 x 200	69 x 196	4143210
80 x 200	79 x 196	4143211
90 x 200	89 x 196	4143212
100 x 200	99 x 196	4143213
120 x 200	119 x 196	4143214
140 x 200	139 x 196	4143215
*70 x 210	69 x 206	4143310
80 x 210	79 x 206	4143311
90 x 210	89 x 206	4143312
100 x 210	99 x 206	4143313
120 x 210	119 x 206	4143314
140 x 210	139 x 206	4143315
*70 x 220	69 x 216	4143410
80 x 220	79 x 216	4143411
90 x 220	89 x 216	4143412
100 x 220	99 x 216	4143413
120 x 220	119 x 216	4143414
140 x 220	139 x 216	4143415

### Surcharge for LEVEL FLEX II base frame for compact bed with incorporated linen box

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the LEVEL FLEX II can also be used in versions C, D, E and F.

The following surcharges apply:

**Version - C -**

for single bed: -

for double bed: -

**Version - D -**

for single bed: -

for double bed: -

**Version - E -**

for single bed: -

for double bed: -

**Version - F -**

for single bed: -

for double bed: -



**LEVEL FLEX II** with 3 motors **NEW**


12 years' manufacturer's guarantee from hülsta

Extremely flexible – with wide range of settings

**Motor-driven adjustment with cable operation or infra-red memory-based remote control**

- General product description on LEVEL FLEX II and LEVEL FLEX II with LIFT function or with 2 motors see previous pages
- Back and foot section individually adjustable with compact drive (2 e-motors, 24 V low voltage); neck support adjustable with extra motor
- Back section adjustable to any angle from 0 – 55°
- Neck support section adjustable to any angle to approx. 30°
- 3-phase foot section adjustment:  
1st phase: angular leg setting (heart/circulation relief). Permanent setting of foot section while sleeping; for sleepers with high blood pressure only on doctor's advice!  
2nd phase: parallel high settings for legs (relief for veins)  
3rd phase: "knee-bend" setting (relief for heel, knee joint support, relaxing position)  
All settings can be set to any level required, no prescribed intervals.
- Low-voltage technology throughout: the high-performance e-motors operate on safe low voltage current (24 V) and are maintenance free
- Emergency mains switch-off feature, i.e. current only flows when adjustments are being made; compatible with primary house safety fuse systems
- Emergency lowering possible during power cuts

- For storing the hand switch (LEVEL FLEX II E) there is a hook included that can be fitted into the bed side frame (up to 4 cm thick). If the bed side is more than 4 cm thick, please order a magnetic holder (type 955, see page 19).
- The LEVEL FLEX II base frame with motor-driven adjustments requires the use of flexible mattresses. We recommend the AIR DREAM and TOP POINT mattresses (see pages 13-17).
- With **cable operation** (cable hand switch with individual and linked switching feature) or **infra-red memory control** with IR-memory receiver and transmitter, 3 memory functions
- 3 years' guarantee on motor systems, 12 years' guarantee on other components
- CE tested
- GS-sign for tested safety



If a 140 cm wide bed is used as a double bed, please use two 70 cm wide frames!

\* If two 70 cm wide base frames are included in a 140 cm wide bed, an additional **metal transverse support strut** (extends from 190-220 cm) must be ordered: for all lengths order no. 5

**Cable operation**

- Cable hand switch with individual and linked switching feature

**Infra-red memory-based remote control:**

- **Memory function:** 3 individual lying and sitting positions can be saved and recalled accordingly
- 8000 different transmission frequencies
- Infra-red remote control normally allows transmission from any angle in the room

**E** Back and foot section adjustable individually by compact drive (2 e-motors); neck support also adjustable with extra integrated motor, **with cable operation**



Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

**F** Back and foot section adjustable individually by compact drive (2 e-motors); neck support also adjustable with extra integrated motor, **with infra-red memory-based remote control**



Back section length: 73.0 cm  
Total height: 9.3 cm  
Req. distance to floor: 15.0 cm

Bed interior dims.	Base frame dims.	Order no.		Bed interior dims.	Base frame dims.	Order no.	
*70 x 190	69 x 186	4144110	} -	*70 x 190	69 x 186	4145110	} -
80 x 190	79 x 186	414411		80 x 190	79 x 186	414511	
90 x 190	89 x 186	414412		90 x 190	89 x 186	414512	
100 x 190	99 x 186	414413		100 x 190	99 x 186	414513	
120 x 190	119 x 186	414414		120 x 190	119 x 186	414514	
140 x 190	139 x 186	414415	} -	140 x 190	139 x 186	414515	} -
*70 x 200	69 x 196	4144210	} -	*70 x 200	69 x 196	4145210	} -
80 x 200	79 x 196	414421		80 x 200	79 x 196	414521	
90 x 200	89 x 196	414422		90 x 200	89 x 196	414522	
100 x 200	99 x 196	414423		100 x 200	99 x 196	414523	
120 x 200	119 x 196	414424		120 x 200	119 x 196	414524	
140 x 200	139 x 196	414425	} -	140 x 200	139 x 196	414525	} -
*70 x 210	69 x 206	4144310	} -	*70 x 210	69 x 206	4145310	} -
80 x 210	79 x 206	414431		80 x 210	79 x 206	414531	
90 x 210	89 x 206	414432		90 x 210	89 x 206	414532	
100 x 210	99 x 206	414433		100 x 210	99 x 206	414533	
120 x 210	119 x 206	414434		120 x 210	119 x 206	414534	
140 x 210	139 x 206	414435	} -	140 x 210	139 x 206	414535	} -
*70 x 220	69 x 216	4144410	} -	*70 x 220	69 x 216	4145410	} -
80 x 220	79 x 216	414441		80 x 220	79 x 216	414541	
90 x 220	89 x 216	414442		90 x 220	89 x 216	414542	
100 x 220	99 x 216	414443		100 x 220	99 x 216	414543	
120 x 220	119 x 216	414444		120 x 220	119 x 216	414544	
140 x 220	139 x 216	414445	} -	140 x 220	139 x 216	414545	} -

**Surcharge for LEVEL FLEX II base frame for compact bed with incorporated linen box**

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the LEVEL FLEX II can also be used in versions C, D, E and F.

The following surcharges apply:


<b>Version - C -</b>	<b>Version - D -</b>	<b>Version - E -</b>	<b>Version - F -</b>
for single bed: -	for single bed: -	for single bed: -	for single bed: -
for double bed: -	for double bed: -	for double bed: -	for double bed: -




## TOP MOVE 100

12 years' manufacturer's guarantee from hülsta

Invisible adjustment technology with 2 motors



Motor-driven comfort and no space required below





30 base slats on individual and highly flexible bearings. Flexible right to the edges. Firmness adjuster slide with brake stopper (patented)



With optional cable operation or handy infra-red remote control switch

- Back and foot sections adjustable by motor
- 6 zone divisions, incl. new-style automatic lower spinal support and neck support in sitting position
- Exclusive motor technology, invisibly integrated inside frame
- No space required under frame for motor housing in bed/linen box
- With optional infra-red remote control, manual emergency lowering
- With the best base frame slats in the world, the hülsta base slat (green layer = reinforcement layer), 35 mm wide, 8/12 mm thick, 7/9x (up to 100 cm/ from 120 cm) moisture-proof glued beech in the adjoining zones (30 base slats per 200 cm length)
- Firmness adjustment in centre zone with adjuster slide with patented anti-slip device
- Integrated shoulder lowering feature – especially flexible base slats
- 2 electric sockets operated via hand switch/transmitter (max. 625 W, 250 V, 2.5 A)
- Emergency mains switch-off feature, i.e. current only flows when adjustments are being made; compatible with primary house safety fuse systems
- Low-voltage technology throughout: the high-performance e-motors operate on safe low voltage current (24 V) and are maintenance free
- Motor completely encapsulated in plastic housing for optimum safety against injury
- Hi-tech end bearings for flexible support of the mattress right up to edge
- The TOP MOVE 100 with motor-driven adjustment requires the use of flexible mattresses. We recommend the AIR DREAM and TOP POINT mattresses (see pages 13-17).
- 3 years' guarantee on drive unit
- CE tested
- Auto-reverse function in back section (when meeting obstruction frame automatically stops and drives back up a small distance).
- Weight: approx. 34 kg (100 x 200 cm)
- The hook of the cable hand switch can be used for bed sides up to 4 cm thick

A 2-motor base frame with cable operation			B 2-motor base frame with infra-red remote control		
Back and foot section adjustable individually by compact drive (2 e-motors); neck and lower spine support automatic in sitting position  Back section length: 73.0 cm Total height: 11.5 cm			Back and foot section adjustable individually by compact drive (2 e-motors); neck and lower spine support automatic in sitting position  Back section length: 73.0 cm Total height: 11.5 cm		
Bed interior dims.	Base frame dims.	Order no.	Bed interior dims.	Base frame dims.	Order no.
70x190	69x188	4228480	70x190	69x188	4228580
80x190	79x188	422848	80x190	79x188	422858
90x190	89x188	422847	90x190	89x188	422857
100x190	99x188	422846	100x190	99x188	422856
120x190	119x188	422845	120x190	119x188	422855
140x190	139x188	422844	140x190	139x188	422854
70x200	69x198	4228430	70x200	69x198	4228530
80x200	79x198	422843	80x200	79x198	422853
90x200	89x198	422842	90x200	89x198	422852
100x200	99x198	422841	100x200	99x198	422851
120x200	119x198	4228450	120x200	119x198	4228550
140x200	139x198	4228440	140x200	139x198	4228540
70x210	69x208	42284330	70x210	69x208	42285330
80x210	79x208	4228433	80x210	79x208	4228533
90x210	89x208	4228423	90x210	89x208	4228523
100x210	99x208	4228413	100x210	99x208	4228513
120x210	119x208	42284530	120x210	119x208	42285530
140x210	139x208	42284430	140x210	139x208	42285430

### Surcharge for TOP MOVE 100 base frame for compact bed with incorporated linen box

Instead of the ALL FLEX D, adjustable back and foot section, foot section with LIFT function, which is delivered standard with all compact beds with linen box, the TOP MOVE 100 can also be used in versions A and B. Linen box access only from head end!

The following surcharges apply:

#### Version - A -

for single bed: -  
for double bed: -

#### Version - B -

for single bed: -  
for double bed: -

**TOP POINT 1000**

7 zone cylinder pocket spring-core mattress

Height: approx. 24 cm; **firmness level:** medium (H2)



- Very good body and spine support with multi-zone spring-core and CNC construction
- Pressure-relieving surface segments
- Perfect air circulation for moisture dispersion with vertical air channels and segmented surface (pyramid-shaped construction)
- Recommended for allergy sufferers because cover washable up to 60°C



\*HR = highly resilient  
= highly elastic  
= genuine cold foam

**Mattress composition**

- Elastic double cloth cover (63% polyester, 37% modacrylic), quilted with brand climatic fibre; washable up to 60°C
- 4 cm high HR\* core above and below the spring-core: with multi-zone construction and air channels
- HR\* cold foam with open-pored cell structure; RG 50 (volume weight 50 kg/m<sup>3</sup>): highly elastic, good form retention, very long-lasting
- Centre 12 cm cylinder pocket spring-core (approx. 260 springs/m<sup>2</sup>)
- Reversible
- hülsta Safety Guarantee (see page 21)
- **Special sizes are possible – no surcharge!**

		Firmness level medium (2) BMI 25-31
Dims.	Order no.	
70x190	HS517192	-
80x190	HS518192	-
90x190	HS519192	-
100x190	HS5110192	-
120x190	HS5112192	-
140x190	HS5114192	-
70x200	HS517202	-
80x200	HS518202	-
90x200	HS519202	-
100x200	HS5110202	-
120x200	HS5112202	-
140x200	HS5114202	-
70x210	HS517212	-
80x210	HS518212	-
90x210	HS519212	-
100x210	HS5110212	-
120x210	HS5112212	-
140x210	HS5114212	-
70x220	HS517222	-
80x220	HS518222	-
90x220	HS519222	-
100x220	HS5110222	-
120x220	HS5112222	-
140x220	HS5114222	-

**Mattresses in special lengths and/or special widths**




The mattress can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the mattress in the next larger size (in this case the mattress with a size of 200 x 90 cm). This mattress is then shortened to the required size of 195 x 85 cm free of charge.

## TOP POINT 4000

7 zone cylinder pocket spring core mattress with micro-springs

Height: approx. 23 cm; 3 firmness levels from soft to firm



- Micro-springs: more than 900 springs (100x200 cm) and CNC construction arranged in multiple zones for perfect body and spine support
- Pressure-relieving surface segments
- Perfect air circulation for moisture dispersion with vertical air channels and segmented surface (pyramid-shaped construction)
- Recommended for allergy sufferers because cover washable up to 60°C
- Partner's zip for connecting two mattresses



\*HR = highly resilient = highly elastic = genuine cold foam

### Mattress composition

- Elastic double cloth cover (63% polyester, 37% modacrylic), quilted with brand climatic fibre; washable up to 60°C
- 4 cm high HR\* core above and below the spring-core: with multi-zone construction and air channels
- HR\* cold foam with open-pored cell structure; RG 50 (volume weight 50 kg/m<sup>3</sup>): highly elastic, good form retention, very long-lasting
- Centre micro-cylinder pocket spring-core in elastic zones: various strengths of spring wire in each zone
- Reversible
- hülsta Safety Guarantee (see page 21)
- **Special sizes are possible – no surcharge!**

Dims.	Firmness level soft (1) BMI ≤ 25		Firmness level medium (2) BMI 25-31		Firmness level firm (3) BMI ≥ 31	
	Order no.		Order no.		Order no.	
70x190	HS527191	-	HS527192	-	HS527193	-
80x190	HS528191	-	HS528192	-	HS528193	-
90x190	HS529191	-	HS529192	-	HS529193	-
100x190	HS5210191	-	HS5210192	-	HS5210193	-
120x190	HS5212191	-	HS5212192	-	HS5212193	-
140x190	HS5214191	-	HS5214192	-	HS5214193	-
70x200	HS527201	-	HS527202	-	HS527203	-
80x200	HS528201	-	HS528202	-	HS528203	-
90x200	HS529201	-	HS529202	-	HS529203	-
100x200	HS5210201	-	HS5210202	-	HS5210203	-
120x200	HS5212201	-	HS5212202	-	HS5212203	-
140x200	HS5214201	-	HS5214202	-	HS5214203	-
70x210	HS527211	-	HS527212	-	HS527213	-
80x210	HS528211	-	HS528212	-	HS528213	-
90x210	HS529211	-	HS529212	-	HS529213	-
100x210	HS5210211	-	HS5210212	-	HS5210213	-
120x210	HS5212211	-	HS5212212	-	HS5212213	-
140x210	HS5214211	-	HS5214212	-	HS5214213	-
70x220	HS527221	-	HS527222	-	HS527223	-
80x220	HS528221	-	HS528222	-	HS528223	-
90x220	HS529221	-	HS529222	-	HS529223	-
100x220	HS5210221	-	HS5210222	-	HS5210223	-
120x220	HS5212221	-	HS5212222	-	HS5212223	-
140x220	HS5214221	-	HS5214222	-	HS5214223	-

### Mattresses in special lengths and/or special widths



The mattress can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the mattress in the next larger size (in this case the mattress with a size of 200 x 90 cm). This mattress is then shortened to the required size of 195 x 85 cm free of charge.

## AIR DREAM 2000

7 zone HR\* cold foam mattress

Height: approx. 20 cm; **2 firmness levels:** medium and firm


- Very good body and spine support with multi-zone construction
- Soft, pressure-relieving surface segments (pyramid-shaped construction)
- Perfect air circulation for moisture dispersion with vertical air channels (over 200 on 90x200 cm) and segmented surface
- Recommended for allergy sufferers because cover is washable up to 60°C



Recommended for allergy sufferers, because cover washable up to 60°C



High Quality  
**RG 50**  
HR\* cold foam



\*HR = highly resilient = highly elastic = genuine cold foam

### Mattress composition

- Elastic double cloth cover (63% polyester, 37% modacrylic), quilted with brand climatic fibre; washable up to 60°C
- 16 cm high core: top and reverse side with the same multi-zone construction – reversible
- HR\* cold foam with open-pored cell structure; RG 50 (volume weight 50 kg/m<sup>3</sup>): highly elastic, good form retention, very long-lasting
- hülsta Safety Guarantee (see page 21)
- **Special sizes are possible – no surcharge!**

Dims.	Firmness level medium (2) BMI ≤ 28		Firmness level firm (3) BMI ≥ 28	
	Order no.		Order no.	
70x190	HS567192	-	HS567193	-
80x190	HS568192	-	HS568193	-
90x190	HS569192	-	HS569193	-
100x190	HS5610192	-	HS5610193	-
120x190	HS5612192	-	HS5612193	-
140x190	HS5614192	-	HS5614193	-
70x200	HS567202	-	HS567203	-
80x200	HS568202	-	HS568203	-
90x200	HS569202	-	HS569203	-
100x200	HS5610202	-	HS5610203	-
120x200	HS5612202	-	HS5612203	-
140x200	HS5614202	-	HS5614203	-
70x210	HS567212	-	HS567213	-
80x210	HS568212	-	HS568213	-
90x210	HS569212	-	HS569213	-
100x210	HS5610212	-	HS5610213	-
120x210	HS5612212	-	HS5612213	-
140x210	HS5614212	-	HS5614213	-
70x220	HS567222	-	HS567223	-
80x220	HS568222	-	HS568223	-
90x220	HS569222	-	HS569223	-
100x220	HS5610222	-	HS5610223	-
120x220	HS5612222	-	HS5612223	-
140x220	HS5614222	-	HS5614223	-

### Mattresses in special lengths and/or special widths

**NEW**

The mattress can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the mattress in the next larger size (in this case the mattress with a size of 200 x 90 cm). This mattress is then shortened to the required size of 195 x 85 cm free of charge.

## AIR DREAM 3000 THERMO **NEW**

7 zone HR\* cold foam mattress with visco-elastic padding

Height: approx. 20 cm; **2 firmness levels:** medium and firm




Recommended for allergy sufferers, because cover washable up to 60°C



High Quality **RG 50** HR\* cold foam

Two mattresses in one:

- Visco side: 40 mm thick visco-elastic surface upholstery on patented 7 zone HR\* cold foam core. Perfect pressure relief without fixing effect. Top Visco-therm quality foam – volume weight 85 kg/m<sup>3</sup>
- HR\* cold foam side with 7 zone patented structure (volume weight 50kg/m<sup>3</sup>)
- Outstanding climatic features through vertical ventilation – also through the Visco layer (85x85 mm raster)
- Fine upholstery of 400g/m<sup>2</sup> climatic hollow fibres (100% PE) with double cloth cover fabric (63% polyester, 37% modacrylic) in original AIR DREAM 3000 quilt. Cover separable, both sides washable up to 60°C



\*HR = highly resilient = highly elastic = genuine cold foam

### Mattress composition

- Relief double cloth (300g/m<sup>2</sup>; 63% polyester; 37% modacrylic) both sides
- Fine upholstery with 400g/m<sup>2</sup> climatic hollow fibres
- Cover splittable, both sides washable up to 60°C

### Visco side:

- 4 cm thermo-sensitive Visco-therm foam Top Quality (RG 85) segmented surface and vertical ventilation holes

### HR\* cold foam side:

- 12 cm HR\* cold foam in Top Quality (RG 50)
- Patented structure with 7 zone segmented surface and vertical ventilation through holes in 85x85 mm raster

Each mattress side symmetrically arranged, can be turned round

- All the components of the mattress meet the requirements of Eco-Text Standard 100, Class 1 for Babies, and "The Blue Angel" mattress label, RAL UZ 119
- 2 reversing grips on each side
- hülsta Safety Guarantee (see page 21)
- **Special sizes are possible – no surcharge!**

Dims.	Firmness level medium (2) BMI ≤ 28		Firmness level firm (3) BMI ≥ 28	
	Order no.		Order no.	
70x190	HS597192	-	HS597193	-
80x190	HS598192	-	HS598193	-
90x190	HS599192	-	HS599193	-
100x190	HS5910192	-	HS5910193	-
120x190	HS5912192	-	HS5912193	-
140x190	HS5914192	-	HS5914193	-
70x200	HS597202	-	HS597203	-
80x200	HS598202	-	HS598203	-
90x200	HS599202	-	HS599203	-
100x200	HS5910202	-	HS5910203	-
120x200	HS5912202	-	HS5912203	-
140x200	HS5914202	-	HS5914203	-
70x210	HS597212	-	HS597213	-
80x210	HS598212	-	HS598213	-
90x210	HS599212	-	HS599213	-
100x210	HS5910212	-	HS5910213	-
120x210	HS5912212	-	HS5912213	-
140x210	HS5914212	-	HS5914213	-
70x220	HS597222	-	HS597223	-
80x220	HS598222	-	HS598223	-
90x220	HS599222	-	HS599223	-
100x220	HS5910222	-	HS5910223	-
120x220	HS5912222	-	HS5912223	-
140x220	HS5914222	-	HS5914223	-

### Mattresses in special lengths and/or special widths

**NEW**

The mattress can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the mattress in the next larger size (in this case the mattress with a size of 200 x 90 cm). This mattress is then shortened to the required size of 195 x 85 cm free of charge.

## AIR DREAM 4000 **NEW**

7 zone HR\* cold foam mattress with "Air plus" climatic system

Height: approx. 20 cm; **2 firmness levels:** medium and firm




Recommended for allergy sufferers, because cover washable up to 60°C



High Quality **RG 50** HR\* cold foam

- Best air circulation for moisture dispersion with separating tweed ("Air plus") in the core centre + vertical air channels (over 200 on 90x200 cm) + segmented surfaces
- Very good body and spine support with multi-zone construction
- Soft, pressure-relieving surface segments (pyramid-shaped construction)
- Recommended for allergy sufferers because cover is washable up to 60°C



\*HR = highly resilient = highly elastic = genuine cold foam

### Mattress composition

- Elastic double cloth cover (63% polyester, 37% modacrylic), quilted with brand climatic fibre; washable up to 60°C
- 16 cm high core: top and reverse side with the same multi-zone construction – reversible
- Centre separating tweed (Air plus climatic system) for active air circulation
- HR\* cold foam with open-pored cell structure; RG 50 (volume weight 50 kg/m<sup>3</sup>): highly elastic, good form retention, very long-lasting
- hülsta Safety Guarantee (see page 21)
- **Special sizes are possible – no surcharge!**

Dims.	Firmness level medium (2) BMI ≤ 28		Firmness level firm (3) BMI ≥ 28	
	Order no.		Order no.	
70x190	HS577192	-	HS577193	-
80x190	HS578192	-	HS578193	-
90x190	HS579192	-	HS579193	-
100x190	HS5710192	-	HS5710193	-
120x190	HS5712192	-	HS5712193	-
140x190	HS5714192	-	HS5714193	-
70x200	HS577202	-	HS577203	-
80x200	HS578202	-	HS578203	-
90x200	HS579202	-	HS579203	-
100x200	HS5710202	-	HS5710203	-
120x200	HS5712202	-	HS5712203	-
140x200	HS5714202	-	HS5714203	-
70x210	HS577212	-	HS577213	-
80x210	HS578212	-	HS578213	-
90x210	HS579212	-	HS579213	-
100x210	HS5710212	-	HS5710213	-
120x210	HS5712212	-	HS5712213	-
140x210	HS5714212	-	HS5714213	-
70x220	HS577222	-	HS577223	-
80x220	HS578222	-	HS578223	-
90x220	HS579222	-	HS579223	-
100x220	HS5710222	-	HS5710223	-
120x220	HS5712222	-	HS5712223	-
140x220	HS5714222	-	HS5714223	-

### Mattresses in special lengths and/or special widths **NEW**

The mattress can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the mattress in the next larger size (in this case the mattress with a size of 200 x 90 cm). This mattress is then shortened to the required size of 195 x 85 cm free of charge.


Every hülsta mattress can be fitted with an extra cold foam topper for extra "soft" pressure relief; at a surcharge.

## Multi-zone HR\* cold foam topper

Height: approx. 7 cm; firmness level: soft; weight: approx. 7 kg (100 x 200 cm)



- 7 zone HR\* cold foam core with segmented surface (one side)
- Very good zone elasticity for pressure relief
- Pyramid shaped construction in the cold foam core and full-depth ventilation channels from top to bottom optimise vertical and horizontal moisture dispersion
- Recommended for allergy sufferers because cover is washable up to 60°C



### Topper composition

Elastic double cloth cover (63% polyester, 37% modacrylic), quilted with brand climatic fibre; washable up to 60°C

Fluffy polyester climatic hollow fibres

Cover washable to 60°C

7 zone HR\* cold foam core with pyramid shaped construction

- HR\* (cold foam) cell core with 95% air ratio (RG 50)
- open-pored cell structure (moisture dispersion)
- highly elastic, good form retention, very long life

Reversible

### Topper in special lengths and/or special widths **NEW**

The topper can be shortened free of charge in 1 cm steps in length and/or in width. If you require a shorter size (e.g. 195 cm in length and 85 cm in width) please state the type number of the topper in the next larger size (in this case the topper with a size of 200 x 90 cm). This topper is then shortened to the required size of 195 x 85 cm free of charge.




\*HR = highly resilient  
= highly elastic  
= genuine cold foam

Dims.	Order no.	
75 x 200	<b>HT51900</b>	-
80 x 200	<b>HT51901</b>	-
90 x 200	<b>HT51902</b>	-
100 x 200	<b>HT51903</b>	-
120 x 200	<b>HT51904</b>	-
140 x 200	<b>HT51905</b>	-
150 x 200	<b>HT51909</b>	-
160 x 200	<b>HT51906</b>	-
180 x 200	<b>HT51907</b>	-
200 x 200	<b>HT51908</b>	-
75 x 210	<b>HT51910</b>	-
80 x 210	<b>HT51911</b>	-
90 x 210	<b>HT51912</b>	-
100 x 210	<b>HT51913</b>	-
120 x 210	<b>HT51914</b>	-
140 x 210	<b>HT51915</b>	-
150 x 210	<b>HT51919</b>	-
160 x 210	<b>HT51916</b>	-
180 x 210	<b>HT51917</b>	-
200 x 210	<b>HT51918</b>	-


# AIR DREAM K 2000 PILLOW

Polyurethane pillow



Height: approx. 8-10 cm

- Especially soft head support, uniform pressure dispersion (zone elasticity)
- Simultaneous optimum head/neck support
- Individually adaptable - height adjustable via 2 cm foam layer
- Very good moisture dispersion
- Cover removable and washable to 60°C (especially suitable for allergy problems)
- Very well suited to all hülsta sleeping systems



### Pillow composition

Skin-friendly double cloth cover (63% polyester, 37% modacrylic); washable up to 60°C

6 cm high, soft Polyurethane foam core with segmented surface, vertical perforations and ventilated structure, on the reverse side additionally quilted with polyester climatic hollow fibres

2 cm foam padding to regulate height



\*HR = highly resilient  
= highly elastic  
= genuine cold foam

Dims.	Order no.	
approx. 36x68 (matching pillow cases 40x80)	<b>HS63408</b>	<b>225</b>

## Magnetic leather belt for hand switch

### Magnetic leather belt for hand switch + hand switch with metal plate

Magnetic holder for hand switch (motor-driven frame, used with wide bed sides, wider than 4 cm. Hand switch with metal plate, leather belt with magnet)

Leather belt is fixed on to inside of bed side with accompanying Velcro strip.



<b>955</b>
-

## Infra-red hand transmitter

**Infra-red hand transmitter as accessory** for all base frames with OKIN motor drive (without memory function; not compatible with TOP MOVE 100)

A motor-driven frame with OKIN technology can be converted into an infra-red operated unit simply by replacing the hand switch socket with a receiver for the infra-red switch. For base frames with 2 or 3 motors. The ability to choose from 8000 different frequencies avoids any conflicts with other remote control units. Further details can be found in the enclosed operating instructions.




Infra-red control switch for 2 motors	Infra-red control switch for 3 motors
<b>957</b>	<b>958</b>
-	-

# Base frame-mattress combinations

## hülsta-Dream Duo E **NEW**

**ALL FLEX A + TOP POINT 1000**

Fixed 7 zone cylinder pocket spring core mattress




\*HR = highly resilient = highly elastic = genuine cold foam

Firmness level medium (2) BMI 25-31		
Dims.	Order no.	
80x200	HD558202	-
90x200	HD559202	-
100x200	HD5510202	-

## hülsta-Dream Duo F **NEW**

**ALL FLEX A + AIR DREAM 2000**

Fixed 7 zone HR\* cold foam mattress



\*HR = highly resilient = highly elastic = genuine cold foam

Dims.	Firmness level medium (2) BMI 25-31		Firmness level firm (3) BMI ≥ 31	
	Order no.		Order no.	
80x200	HD568202	-	HD568203	-
90x200	HD569202	-	HD569203	-
100x200	HD5610202	-	HD5610203	-



**Double mattresses** (extra-large sizes) are not recommended, because one can not exclude the possibility of your partner being disturbed by your movements. Turning and reversing the mattress is extremely difficult.

**We provide no guarantee** for double cylinder pocket spring core mattresses.

**Double mattresses are nonetheless still available on request.**

## Definition of “total height” of base frames:

The details of total heights are approximate and are calculated from the outer bar of the underside rim up to the top edge of the slat supports. The base slats curve upwards, to a varying extent depending on the version and frame width. Small deviations in the height of the curve are possible in wood as a natural material but have no negative effects on performance. This curve prevents you from lying in a “hollow” during sleep.

## Fitting notes for base frames, especially in the “fixed” version:

In order to achieve a particularly low surface height, hülsta base frames are manufactured in a “fixed” version, i.e. they are non-adjustable, in a low-rim frame construction. The veneer layers lie horizontally.

All base frames – both adjustable and non-adjustable – must be supported approximately 30 cm from each end and in the centre so that they do not warp in the middle in the course of time. It is advisable to have a full-length support slat to support all base frames.

## Definition of “mattress firmness”:

The numbers in brackets for the firmness of the mattress do not correspond to the DIN-EN 1957 norm. The number (2) as compared to the number (3) simply means that this mattress is somewhat softer.

## hülsta Safety Guarantee:

As a hülsta customer, you expect a product providing the highest level of safety, which has no negative influences and certainly does no damage to our environment and, above all, your health.










Nowadays you can find a multitude of labels concerning safety, the environment and harmful substances. But these always refer only to a limited field and can be confusing because of their number and because hardly anyone knows just exactly what the label means.

hülsta is going its own way.

Our good name stands for products which of course meet all the known requirements of the labels standard to our product sector, but most of them go much further than this.

Therefore we are supplying you with products which can be viewed as being completely safe on the basis of our present scientific knowledge.

## Meaning of pictograms

	Removable cover for cleaning/washing		High Quality volume weight here e.g. 50 kg/m <sup>3</sup>		Special pressure relief for good blood circulation		Partner's zip		British BS 5852 Source 5 (crib 5)
	Highly flexible mattress for adjustable slatted bases		Helpful for some allergy problems		Safety: GS sign for tested safety from TÜVRheinland		The Blue Angel: for being low on emissions and protecting our health		

\*HR = highly resilient = highly elastic = genuine cold foam

# Table: Body Mass Index (BMI)

Basis for correct recommendation: matching physical characteristics according to body mass index = BMI

Weight in kg	Size in metres																			Weight in kg																																				
	1.40	1.42	1.44	1.46	1.48	1.50	1.52	1.54	1.56	1.58	1.60	1.62	1.64	1.66	1.68	1.70	1.72	1.74	1.76		1.78	1.80	1.82	1.84	1.86	1.88	1.90	1.92	1.94	1.96	1.98	2.00	2.02	2.04	2.06	2.08	2.10																			
140	71	69	68	67	66	64	62	61	59	58	56	55	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10
138	70	68	67	66	64	62	61	60	58	57	55	54	53	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	
136	69	67	66	64	62	60	59	57	56	54	53	52	51	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10			
134	68	66	65	63	61	60	58	57	55	54	52	51	50	49	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10				
132	67	65	64	62	60	59	57	56	54	53	52	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10				
130	66	64	63	61	59	58	56	55	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10				
128	65	63	62	60	58	57	55	54	53	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10					
126	64	62	61	59	58	56	55	53	52	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10						
124	63	61	60	58	57	55	54	52	51	50	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10							
122	62	61	59	57	56	54	53	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10							
120	61	60	58	56	55	53	52	51	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10								
118	60	59	57	55	54	52	51	50	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10									
116	59	58	56	54	53	52	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10									
114	58	57	55	53	52	51	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10										
112	57	56	54	53	51	50	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10											
110	56	55	53	52	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10											
108	55	54	52	51	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10												
106	54	53	51	50	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10													
104	53	52	50	49	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10														
102	52	51	49	48	47	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10															
100	51	50	48	47	46	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																
98	50	49	47	46	45	44	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																	
96	49	48	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																	
94	48	47	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																		
92	47	46	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																			
90	46	45	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																				
88	45	44	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																					
86	44	43	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																						
84	43	42	41	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																							
82	42	41	40	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																								
80	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																								
78	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																									
76	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																										
74	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																											
72	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																												
70	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																													
68	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																														
66	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																															
64	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																																
62	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10																																	
60	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15																																							

## 1. Long-term elastic base slats

The base frame is only as good as its slats. For this reason hülsta places great value on high-grade performance. For example: base slats: steam-proof melamine surface films, the green layer and moisture-proof glued beechwood veneers (7-times) ensure the necessary elasticity even after many years of use (**world-wide the best slat**). Be careful about using base spring slats made of birch!

## 2. Synthetic and caoutchouc materials

Important: good characteristics in long-term use. Synthetic components must also betray long-term elasticity, in order to enable optimum body support. hülsta therefore only employs high-grade caoutchouc and synthetic materials. Comprehensive tests are proof of this, e.g. by the German Technical Control Board (TÜV) and the Warentest Institute.

## 3. Adjustment ergonomomy

The correct matching of the adjustable sections and the positions of joints. hülsta base frames are designed in accordance with the latest anthropological and ergonomic research.

## 4. Good climate regulation

The base frame not only provides possibilities of adjustment, it also ensures the necessary ventilation of the sleeping system. A ratio of around 1:1 for the ventilated and the supporting surface is the optimum. We recommend mattresses that cannot store CO<sup>2</sup> and provide the best possible ventilation to help prevent cot deaths.

## 5. Matching of base frame and mattress

Only the right combination of base frame and mattress guarantees optimum characteristics like body support, climate regulation and adjustment capabilities. hülsta's sleeping systems are matched in accordance with these criteria. Comprehensive tests by leading institutes are proof of this.

## 6. Motor-adjustable base frames

This is what counts: ergonomic sitting and lying positions; when not in use, no current flows; emergency lowering when mains cut-off occurs; low-noise adjustment movements. hülsta's motor frames are equipped with mains cut-off and emergency lowering features. All the joints in the brackets have synthetic bearings.

## 7. Individual adjustability

An optimum setting should last long. hülsta achieves this with brake-stops in the firmness-adjustment slides.

### 12 years' guarantee:

More than 30 years of intensive sleep research, the internationally renowned hülsta quality standard, which is confirmed by leading institutes, enable us to grant a long-term guarantee of 12 years for all base frames which belong to the hülsta sleeping systems.

### Further provisions of guarantee:

Motors and gas pressure springs: 3 years' guarantee; mattress kernels: 5 years' guarantee; batteries are except from guarantee. Please note the versions and care notes in our guarantee card.





## London Office

**Office hours:**

Monday to Friday 9.00am - 5.00pm

hülsta furniture (UK) Ltd. · 5th floor · 2 Conduit Street · London · W1S 2XB  
Tel. 020 7629 4881 · Fax 020 7409 2417

### **hülsta Sleeping systems - Type list No. 0018 GB**

Stand: 01.08.2011 · Code GB: 2.26

Design and concept are protected by law. Subject to error and alterations in construction,  
colour and materials by way of tech. progress.

**Recommended Retail Price in £**

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadthoorn  
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000  
[www.huelsta.co.uk](http://www.huelsta.co.uk) · [Info@huelsta.co.uk](mailto:Info@huelsta.co.uk)

**hülsta** 